



Flaw Detection (UT)

Applications of ultrasonic testing vary, ranging from weld inspection to wall thickness measurement and the detection of discontinuities such as invisible cracks, inclusions, voids and other discontinuities in metals, plastics, ceramics and composites.

Experienced material testers have supervised the development of SONOTEC flaw detector and probes focusing on simple operation procedures and high sensitivity while simultaneously providing a robust design.

We offer a wide range of corresponding SONOSCAN probes. Select the suitable probe from our product program according to your application.

In addition to our standard products, we also manufacture **customer-specific solutions**.

Detailed Product Information



SONOSCREEN ST10

the practice orientated ultrasonic flaw detector



SONOSCAN Angle Beam Probes

for flexible use during weld inspection



SONOSCAN Straight Beam Probes

pulse echo and dual element probes



SONOSCAN Immersion Probes

for partially and fully automated testing

Applications

Weld seam testing

Sheet metal testing

Wall thickness testing

Immersion testing

DO YOU HAVE ANY QUESTIONS?



Please contact us! We will be glad to help you.

Fritz Busch

+49 (0)345 / 133 17-839

f.busch@sonotec.de

NEWS:

18.12.2018

SONOTEC end-of-the-year review: strengthen international networks - foster innovations - invest in the future

[more News...](#)

| EVENT CALENDAR:

12.02.2019

NDTMA Annual Conference 2019

[all Events...](#)

CUSTOMER REVIEWS:

Our customers on our NDT products

[all customer reviews...](#)